

 **ANALYTICAL REPORT****PREPARED FOR**

Attn: Water Report  
NW Natural Water Services, LLC  
107 S Main St  
Coupeville, Washington 98239

Generated 10/6/2025 11:16:17 AM

**JOB DESCRIPTION**

Driftwood Heights 19948X - Compliance

**JOB NUMBER**

110-862-1

# Eurofins Washington

## Job Notes

This report may not be reproduced except in full, and with written approval from the laboratory. The results relate only to the samples tested. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

The test results in this report relate only to the samples as received by the laboratory and will meet all requirements of the methodology, with any exceptions noted. This report shall not be reproduced except in full, without the express written approval of the laboratory. All questions should be directed to the Eurofins Environment Testing Northwest, LLC Project Manager.

## Authorization



Generated  
10/6/2025 11:16:17 AM

---

Authorized for release by  
Larry Henderson, Business Unit Manager  
[Larry.Henderson@et.eurofinsus.com](mailto:Larry.Henderson@et.eurofinsus.com)  
Designee for  
Crystal Deighton, Admin Asst. I  
[Crystal.Deighton@et.eurofinsus.com](mailto:Crystal.Deighton@et.eurofinsus.com)  
(360)757-1400

# Client Sample Results

Client: NW Natural Water Services, LLC  
 Project/Site: Driftwood Heights 19948X - Compliance

Job ID: 110-862-1

**Client Sample ID: S01 - Driftwood Heights Association**

**Lab Sample ID: 110-862-1**

Date Collected: 08/19/25 10:00

Matrix: Drinking Water

Date Received: 08/19/25 15:20

PWSID Number: 19948X

### Method: 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	Unit	D	Analyzed	Dil Fac	Analyst
Chloride	17		0.10	mg/L		08/20/25 22:36	1	AH
Fluoride	0.14		0.10	mg/L		08/20/25 22:36	1	AH
Nitrate as N	1.5		0.10	mg/L		08/20/25 22:36	1	AH
Nitrite as N	ND		0.10	mg/L		08/20/25 22:36	1	AH

### Method: NO3NO2 Calc - Nitrogen, Nitrate-Nitrite

Analyte	Result	Qualifier	RL	Unit	D	Analyzed	Dil Fac	Analyst
Nitrate Nitrite as N	1.5		0.10	mg/L		08/20/25 22:36	1	BJ

### Method: 200.7 - Metals (ICP)

Analyte	Result	Qualifier	RL	Unit	D	Analyzed	Dil Fac	Analyst
Iron	ND		0.050	mg/L		08/26/25 02:59	1	BJ
Potassium	2.7	^1+	0.50	mg/L		08/26/25 02:59	1	BJ
Sodium	17	^1+	0.50	mg/L		08/26/25 02:59	1	BJ

### Method: 200.8 - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	Unit	D	Analyzed	Dil Fac	Analyst
Antimony	ND		0.0010	mg/L		08/28/25 21:26	1	SM
Arsenic	0.0061		0.0010	mg/L		08/28/25 21:26	1	SM
Barium	0.0090		0.0010	mg/L		08/28/25 21:26	1	SM
Beryllium	ND		0.0010	mg/L		08/28/25 21:26	1	SM
Cadmium	ND		0.0010	mg/L		08/28/25 21:26	1	SM
Chromium	0.0024		0.0010	mg/L		08/28/25 21:26	1	SM
Copper	ND		0.0050	mg/L		08/28/25 21:26	1	SM
Lead	ND	^+	0.0010	mg/L		08/28/25 21:26	1	SM
Manganese	0.0053		0.0010	mg/L		08/28/25 21:26	1	SM
Nickel	0.0014		0.0010	mg/L		08/28/25 21:26	1	SM
Selenium	0.0016		0.0010	mg/L		08/28/25 21:26	1	SM
Silver	ND	^	0.0010	mg/L		08/28/25 21:26	1	SM
Thallium	ND	^+	0.0010	mg/L		08/28/25 21:26	1	SM
Zinc	0.0077		0.0050	mg/L		09/08/25 15:43	1	SM

### Method: 245.1 - Mercury (CVAA)

Analyte	Result	Qualifier	RL	Unit	D	Analyzed	Dil Fac	Analyst
Mercury	ND		0.00020	mg/L		08/28/25 23:28	1	SM

### Method: SM 2340B - Total Hardness (as CaCO3) by calculation

Analyte	Result	Qualifier	RL	Unit	D	Analyzed	Dil Fac	Analyst
Hardness as calcium carbonate	190		1.0	mg/L		09/09/25 19:03	1	AP

### General Chemistry

Analyte	Result	Qualifier	RL	Unit	D	Analyzed	Dil Fac	Analyst
Turbidity (180.1)	0.20		0.10	NTU		08/20/25 17:17	1	SM
Cyanide, Available (OIA-1677)	ND		0.010	mg/L		09/02/25 09:59	1	AH
Color (SM 2120B)	ND		1.0	Color Units		08/20/25 18:20	1	SM
Specific Conductance (SM 2510B)	430		10	umho/cm		09/02/25 15:01	1	AS
Total Dissolved Solids (SM 2540C)	260		10	mg/L		08/22/25 15:04	1	AS

# Action Limit Summary

Client: NW Natural Water Services, LLC  
 Project/Site: Driftwood Heights 19948X - Compliance

Job ID: 110-862-1

**Client Sample ID: S01 - Driftwood Heights Association**

**Lab Sample ID: 110-862-1**

**PWSID Number: 19948X**

## Compliance Check

The results obtained from the analytical testing of this data set were checked against compliance limits received from the client. Any results at or above the compliance limits have been highlighted for your convenience.

Analyte	Result	Qualifier	Unit	EPAMCL Limit	EPAMCLS Limit	RL	Method	Prep Type
Chloride	17		mg/L		250	0.10	300.0	Total/NA
Fluoride	0.14		mg/L	4	2	0.10	300.0	Total/NA
Nitrate as N	1.5		mg/L	10		0.10	300.0	Total/NA
Nitrite as N	ND		mg/L	1		0.10	300.0	Total/NA
Nitrate Nitrite as N	1.5		mg/L	10		0.10	NO3NO2 Calc	Total/NA
Iron	ND		mg/L		0.3	0.050	200.7	Total/NA
Antimony	ND		mg/L	0.006		0.0010	200.8	Total/NA
Arsenic	0.0061		mg/L	0.01		0.0010	200.8	Total/NA
Barium	0.0090		mg/L	2		0.0010	200.8	Total/NA
Beryllium	ND		mg/L	0.004		0.0010	200.8	Total/NA
Cadmium	ND		mg/L	0.005		0.0010	200.8	Total/NA
Chromium	0.0024		mg/L	0.1		0.0010	200.8	Total/NA
Copper	ND		mg/L	1	1	0.0050	200.8	Total/NA
Lead	ND	^+	mg/L	0.01		0.0010	200.8	Total/NA
Manganese	0.0053		mg/L		0.05	0.0010	200.8	Total/NA
Selenium	0.0016		mg/L	0.05		0.0010	200.8	Total/NA
Silver	ND	^-	mg/L		0.1	0.0010	200.8	Total/NA
Thallium	ND	^+	mg/L	0.002		0.0010	200.8	Total/NA
Zinc	0.0077		mg/L		5	0.0050	200.8	Total/NA
Mercury	ND		mg/L	0.002		0.00020	245.1	Total/NA
Total Dissolved Solids	260		mg/L		500	10	SM 2540C	Total/NA

# Multiple WSI / ANALYSIS



ST E-20

Page \_ of \_

### Client & Billing Information

Report To: King Water Company - NW Natural Water Services  
 Ship Address: 102 SW Terry Road  
 City, Country: St. WA Zip: 98239  
 Phone: 360-678-5336 Fax:  
 Email: wa.testing@northwestnaturalwaterservices.com  
 Contact: Jessica Zimmer  
 Project Name: Driftwood Heights Association

BILL TO: KING07

Address:

City:

Phone:

P.O.#

ST:

Zip:

110-892-000



Main Lab (800-755-9285)  
 1020 S Walnut St, Burien, WA 98233  
 Bellingham (360-738-1212)  
 605 W Orchard Dr, Suite 4, Bellingham, WA 98225

### INSTRUCTIONS:

1. USE ONE LINE PER SAMPLE LOCATION.
2. BE SPECIFIC IN TEST REQUESTS.
3. CHECK OFF ANALYSIS TO BE PERFORMED FOR EACH SAMPLE LOCATION.
4. ENTER NUMBER OF CONTAINERS PER SAMPLE LOCATION.

### Turn Around Time Requested

- STANDARD  
 HUR - TUE (50% SURCHARGE)  
 QUICKEST (100% SURCHARGE) (PHONE CALL REQ.)  
 EMERGENCY (PHONE CALL REQUIRED)

SYSTEM ID	SOURCE#	SAMPLE LOCATION	DATE	TIME	Compliance	As	N03	Cl	Conductivity	Hardness	As, Fe, Hard, cond, Cl	Fe, Mn	IOC	Number of Containers	SPECIAL INSTRUCTIONS / CONDITIONS ON RECEIPT
1	19948X	S01	Driftwood Heights Association	8/19/25	10:00 AM	<input checked="" type="checkbox"/>	<input type="checkbox"/>	1							
2	19948X	S01	Driftwood Heights Association	8/19/25	8:00 AM	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
3					<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
4					<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
5					<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
6					<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
7					<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
8					<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
9					<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
10					<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		

PHONE: FAX:

EMAIL:

9 TOTAL CONTAINERS

ORDER NO. / CDR / USER / SHEET BY	DATE	TIME	RECEIVED BY	DATE	TIME
			EW		

CUSTOMER SEALS INTACT  
 SAMPLE TEMP \_\_\_\_\_ °C SATISFACTORY  
 EVIDENCE OF COOLING  
 SAMPLES RECEIVED INTACT  
 CHAIN OF CUSTODY & LABELS AGREE

YES NO NA

WA PU01 8/19/25 1520

1316